

4126

10p

Emu

6p

3 PLY 4 PLY

DOUBLE KNITTING

Chest 36-44 ins. 12-24 ozs.

SWEATER

in

Emu

SCOTCH 3 PLY
ZEPHYR 3 PLY BOTANY
CALYPSO CREPE

SCOTCH 4 PLY
ZEPHYR 4 PLY BOTANY
SUPER CREPE
GALA 4 PLY

SCOTCH DOUBLE KNITTING
DOUBLE CREPE
ROMANY DOUBLE KNITTING
BRI-NYLON DOUBLE KNITTING
(EMULON)

To obtain a perfect result from this pattern it is essential to use Emu Wool and to purchase a sufficient quantity to complete the garment.

To fit Chest	36 ins.	38 ins.	40 ins.	42 ins.	44 ins.
Actual Measurement	38 ins.	40 ins.	42 ins.	44 ins.	46 ins.
3 Ply Sweater	12 ozs.	13 ozs.	13 ozs.	14 ozs.	15 ozs.
4 Ply Sweater	13 ozs.	14 ozs.	15 ozs.	16 ozs.	17 ozs.
Double Knitting Sweater	19 ozs.	20 ozs.	22 ozs.	23 ozs.	24 ozs.
Length	24½ ins.	25 ins.	25½ ins.	26 ins.	26¼ ins.
Sleeve Seam	19 ins.	19 ins.	19½ ins.	19½ ins.	20 ins.

3 Ply Sweater
1 Pair each of Emu Knitting Needles size 11 and 13. One Cable Needle.
4 Ply Sweater
1 Pair each of Emu Knitting Needles size 10 and 12. One Cable Needle.
Double Knitting Sweater
1 Pair each of Emu Knitting Needles size 8 and 10. One Cable Needle.

TENSION:
3 Ply Sweater
8½ stitches and 11 rows to 1 square inch over stocking stitch.
4 Ply Sweater
7½ stitches and 9½ rows to 1 square inch over stocking stitch.
Double Knitting Sweater
5½ stitches and 8 rows to 1 square inch over stocking stitch.

We recommend that you test your tension before commencing the garment.

ABBREVIATIONS: K., knit; p., purl; st(s)., stitch(es); rep., repeat; beg., beginning; st.st., stocking stitch; inc., increase(ing); dec., decrease(ing).

NOTE: These instructions are written in five sizes, stitches and measurements for the smallest size being given in the ordinary way, the larger sizes being bracketed in the following spaces.

Owing to the large number of sizes quoted in this pattern, we suggest that you underline all the figures for the size you require before commencing.

3 PLY SWEATER

BACK AND FRONT ALIKE

Using size 13 needles, cast on 148 (156, 162, 170, 176) sts. and work in k. 1, p. 1 rib for 2 inches, ending with a right side row.

Next row: Rib 6 (10, 5, 9, 4) sts., * work twice into next st., rib 7, rep. from * to last 6 (10, 5, 9, 4) sts., work twice into next st., rib 5 (9, 4, 8, 3) sts. 166 (174, 182, 190, 198) sts.

Change to size 11 needles and pattern.

1st row: K. 73 (77, 81, 85, 89) sts., p. 3, k. 6, p. 2, k. 6, p. 3, k. 73 (77, 81, 85, 89) sts.

2nd row: P. 73 (77, 81, 85, 89) sts., k. 3, p. 6, k. 2, p. 6, k. 3, p. 73 (77, 81, 85, 89) sts.

Rep. 1st and 2nd rows once.

5th row: K. 73 (77, 81, 85, 89), p. 3, slip next 3 sts. on to cable needle and leave at front of work, k. 3, k. 3 from cable needle, p. 2, slip next 3 sts. on to cable needle and leave at back of work, k. 3, k. 3 from cable needle, p. 3, k. 73 (77, 81, 85, 89) sts.

6th row: As 2nd row.

Rep. these 6 rows twice more, then the 1st and 2nd rows once.

21st row: K. 73 (77, 81, 85, 89) sts., p. 3, slip the next 6 sts. on to cable needle and leave at front of work, p. 1, k. 6 from cable needle, slip next st. on to cable needle and leave at back of work, k. 6, p. 1 from cable needle, p. 3, k. 73 (77, 81, 85, 89) sts.

22nd row: P. 73 (77, 81, 85, 89) sts., k. 4, p. 12, k. 4, p. 73 (77, 81, 85, 89) sts.

23rd row: K. 73 (77, 81, 85, 89) sts., p. 4, slip the next 6 sts. on to cable needle and leave at front of work, k. 6, k. 6 from cable needle, p. 4, k. 73 (77, 81, 85, 89) sts.

24th row: As 22nd row.

25th row: K. 73 (77, 81, 85, 89) sts., p. 3, slip the next st. on to cable needle and leave at back of work, k. 6, p. 1 from cable needle, slip the next 6 sts. on to cable needle and leave at front of work, p. 1, k. 6 from cable needle, p. 3, k. 73 (77, 81, 85, 89) sts.

26th row: As 2nd row.

Rows 3-26 inclusive form the pattern. Continue in pattern until work measures 16 inches from the beg., ending with a wrong side row.

Shape Armholes

Keeping continuity of pattern, dec. 1 st. at each end of the next 20 (21, 23, 25, 27) rows. 126 (132, 136, 140, 144) sts. Continue without further shaping until work measures 22½

(23, 23½, 24, 24¼) inches from the beg., ending with a wrong side row and inc. into last st.

Next row: * K. 1, p. 1, rep. from * to last st., k. 1.

Next row: * P. 1, k. 1, rep. from * to last st., p. 1.

Rep. the last 2 rows until work measures 24½ (25, 25½, 26, 26¼) inches from the beg., ending with a wrong side row.

Shape Shoulders

Cast off 9 (9, 10, 10, 10) sts. at the beg. of the next 4 rows, and 9 (10, 9, 10, 11) sts. at the beg. of the following 2 rows. Cast off in rib the remaining 73 (77, 79, 81, 83) sts.

SLEEVES

Using size 13 needles, cast on 64 (66, 68, 70, 72) sts. and work in k. 1, p. 1 rib for 3 inches, ending with a right side row.

Next row: Rib 6 (7, 8, 9, 10) sts., * work twice into next st., rib 3, rep. from * to last 6 (7, 8, 9, 10) sts., work twice into next st., rib 5 (6, 7, 8, 9) sts. 78 (80, 82, 84, 86) sts. Change to size 11 needles and st.st. (1 row k., 1 row p.). Inc. 1 st. at each end of the 5th and every following 7th (6th, 6th, 5th, 5th) row until there are 124 (130, 136, 142, 148) sts. on the needle. Continue without further shaping until work measures 19 (19, 19½, 19½, 20) inches from the beg., ending with a p. row.

Shape Top

Dec. 1 st. at each end of the next 32 (34, 34, 36, 38) rows. Cast off loosely the remaining sts.

TO MAKE UP

Pin out to correct measurements and press with a warm iron over a damp cloth, omitting ribbed parts. Using a back stitch, join side, shoulder and sleeve seams. Set in Sleeves.

4 PLY SWEATER

BACK AND FRONT ALIKE

Using size 12 needles, cast on 132 (140, 148, 156, 162) sts. and work in k. 1, p. 1 rib for 2 inches, ending with a right side row.

Next row: Rib 6 (10, 6, 10, 4) sts., * work twice into next st., rib 7 (7, 8, 8, 8), rep. from * to last 6 (10, 7, 11, 5) sts., work twice into next st., rib 5 (9, 6, 10, 4) sts. 148 (156, 164, 172, 180) sts.

Change to size 10 needles and pattern.

1st row: K. 64 (68, 72, 76, 80) sts., p. 3, k. 6, p. 2, k. 6, p. 3, k. 64 (68, 72, 76, 80) sts.

2nd row: P. 64 (68, 72, 76, 80) sts., k. 3, p. 6, k. 2, p. 6, k. 3, p. 64 (68, 72, 76, 80) sts.

Rep. 1st and 2nd rows once.

5th row: K. 64 (68, 72, 76, 80) sts., p. 3, slip next 3 sts. on to cable needle and leave at front of work, k. 3, k. 3 from cable needle, p. 2, slip next 3 sts. on to cable needle and leave at back of work, k. 3, k. 3 from cable needle, p. 3, k. 64 (68, 72, 76, 80) sts.

6th row: As 2nd row.

Rep. these 6 rows twice more, then the 1st and 2nd rows once.

21st row: K. 64 (68, 72, 76, 80) sts., p. 3, slip the next 6 sts. on to cable needle and leave at front of work, p. 1, k. 6, from cable needle, slip next st. on to cable needle and leave at back of work, k. 6, p. 1 from cable needle, p. 3, k. 64 (68, 72, 76, 80) sts.



22nd row: P. 64 (68, 72, 76, 80) sts., k. 4, p. 12, k. 4, p. 64 (68, 72, 76, 80) sts.
23rd row: K. 64 (68, 72, 76, 80) sts., p. 4, slip the next 6 sts. on to cable needle and leave at front of work, k. 6, k. 6 from cable needle, p. 4, k. 64 (68, 72, 76, 80) sts.
24th row: As 22nd row.
25th row: K. 64 (68, 72, 76, 80) sts., p. 3, slip the next st. on to cable needle and leave at back of work, k. 6, p. 1 from cable needle, slip the next 6 sts. on to cable needle and leave at front of work, p. 1, k. 6 from cable needle, p. 3, k. 64 (68, 72, 76, 80) sts.
26th row: As 2nd row.
Rows 3-26 inclusive form the pattern. Continue in pattern until work measures 16 inches from the beg., ending with a wrong side row.
Shape Armholes
Keeping continuity of pattern, dec. 1 st. at each end of the next 16 (18, 20, 22, 24) rows. 116 (120, 124, 128, 132) sts. Continue without further shaping until work measures 22½ (23, 23½, 24, 24¼) inches from the beg., ending with a wrong side row and inc. into last st.
Next row: * K. 1, p. 1, rep. from * to last st., k. 1.
Next row: * P. 1, k. 1, rep. from * to last st., p. 1.
Rep. the last 2 rows until work measures 24½ (25, 25½, 26, 26¼) inches from the beg., ending with a wrong side row.
Shape Shoulders
Cast off 8 (9, 9, 9, 10) sts. at the beg. of the next 4 rows and 9 (8, 9, 10, 9) sts. at the beg. of the following 2 rows. Cast off in rib the remaining 67 (69, 71, 73, 75) sts.

SLEEVES

Using size 12 needles, cast on 60 (62, 64, 66, 68) sts. and work in k. 1, p. 1 rib for 3 inches, ending with a right side row.
Next row: Rib 2 (3, 4, 5, 6), * work twice into next st., rib 4, rep. from * to last 3 (4, 5, 6, 7) sts., work twice into next st., rib 2 (3, 4, 5, 6). 72 (74, 76, 78, 80) sts.
Change to size 10 needles and st.st. (1 row k., 1 row p.). Inc. 1 st. at each end of the 5th and every following 7th (7th, 6th, 6th, 6th) row until there are 112 (116, 122, 126, 132) sts. on the needle. Continue without further shaping until work measures 19 (19, 19½, 19½, 20) inches from the beg., ending with a p. row.
Shape Top
Dec. 1 st. at each end of the next 28 (30, 30, 32, 34) rows. Cast off loosely the remaining sts.

TO MAKE UP

Follow instructions for 3 Ply Sweater.

DOUBLE KNITTING SWEATER

BACK AND FRONT ALIKE

Using size 10 needles, cast on 110 (116, 122, 126, 132) sts. and work in k. 1, p. 1 rib for 2 inches, ending with a wrong side row.
Change to size 8 needles and pattern.
1st row: K. 48 (51, 54, 56, 59) sts., p. 2, k. 4, p. 2, k. 4, p. 2, k. 48 (51, 54, 56, 59) sts.
2nd row: P. 48 (51, 54, 56, 59) sts., k. 2, p. 4, k. 2, p. 4, k. 2, p. 48 (51, 54, 56, 59) sts.
Rep. the 1st and 2nd rows once.
5th row: K. 48 (51, 54, 56, 59) sts., p. 2, slip next 2 sts. on to cable needle and leave at front of work, k. 2, k. 2 from cable needle, p. 2, slip next 2 sts. on to cable needle and leave at back of work, k. 2, k. 2 from cable needle, p. 2, k. 48 (51, 54, 56, 59) sts.
6th row: As 2nd row.
Rep. these 6 rows twice more, then the 1st and 2nd rows once.
21st row: K. 48 (51, 54, 56, 59) sts., p. 2, slip the next 4 sts. on to cable needle and leave at front of work, p. 1, k. 4 from cable needle, slip next st. on to cable needle and leave at back of work, k. 4, p. 1 from cable needle, p. 2, k. 48 (51, 54, 56, 59) sts.
22nd row: P. 48 (51, 54, 56, 59) sts., k. 3, p. 8, k. 3, p. 48 (51, 54, 56, 59) sts.
23rd row: K. 48 (51, 54, 56, 59) sts., p. 3, slip the next 4 sts. on to cable needle and leave at front of work, k. 4, k. 4 from cable needle, p. 3, k. 48 (51, 54, 56, 59) sts.
24th row: As 22nd row.
25th row: K. 48 (51, 54, 56, 59) sts., p. 2, slip the next st. on to cable needle and leave at back of work, k. 4, p. 1 from cable needle, slip the next 4 sts. on to cable needle and leave at front of work, p. 1, k. 4 from cable needle, p. 2, k. 48 (51, 54, 56, 59) sts.
26th row: As 2nd row.
Rows 3-26 inclusive form the pattern. Continue in pattern until work measures 16 inches from the beg., ending with a wrong side row.
Shape Armholes
Keeping continuity of pattern, dec. 1 st. at each end of the next 12 (14, 15, 16, 17) rows. 86 (88, 92, 94, 98) sts. Continue without further shaping until work measures 22½ (23, 23½, 24, 24¼) inches from the beg., ending with a wrong side row, and inc. into last st.
Next row: * K. 1, p. 1, rep. from * to last st., k. 1.
Next row: * P. 1, k. 1, rep. from * to last st., p. 1.
Rep. the last 2 rows until work measures 24½ (25, 25½, 26, 26¼) inches from the beg., ending with a wrong side row.
Shape Shoulders
Cast off 6 (6, 7, 7, 7) sts. at the beg. of the next 4 rows and 7 (7, 6, 6, 7) sts. at the beg. of the following 2 rows. Cast off in rib the remaining 49 (51, 53, 55, 57) sts.

SLEEVES

Using size 10 needles, cast on 54 (56, 58, 60, 62) sts. and work in k. 1, p. 1 rib for 3 inches, ending with a wrong side row.
Change to size 8 needles and st.st. (1 row k., 1 row p.). Inc. 1 st. at each end of the next and every following 8th (8th, 7th, 7th, 7th) row until there are 82 (86, 90, 94, 98) sts. on the needle. Continue without further shaping until work measures 19 (19, 19½, 19½, 20) inches from the beg., ending with a p. row.
Shape Top
Dec. 1 st. at each end of the next 24 (26, 26, 28, 30) rows. Cast off the remaining sts.

TO MAKE UP

Follow instructions for 3 Ply Sweater. If Bri-nylon has been used press with a dry cloth instead of a damp one.

WASH THIS GARMENT CAREFULLY
IN A MILD WASHING PRODUCT
EMU PARTICULARLY RECOMMEND
dreft

Copyright printed in England.

Do write if in need of advice on this pattern to
JANET MINTON, EMU WOOLS LTD.,
13/14 WOODSTOCK ST., LONDON, W.1.